

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9002	((sampl\$3 or oversampl\$3 or (over adj sampl\$3)) near6 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:23
L2	23	L1 same ((receiver\$1 or local) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:01
L3	12	L1 with ((receiver\$1 or local) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 10:21
L4	0	2 same latenc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 10:20
L5	32	("5081655").URPN.	USPAT	OR	OFF	2006/10/27 10:30
L6	443	((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8) near2 delay\$1) near6 ((incomming or input or received) near2 data)	USPAT	OR	OFF	2006/10/27 11:10
L7	3200	((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8) near6 delay\$1) same ((incomming or input or received) near2 data)	USPAT	OR	OFF	2006/10/27 14:11
L8	1267	((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8) near6 delay\$1) with ((incomming or input or received) near2 data)	USPAT	OR	OFF	2006/10/27 10:35
L9	161	7 same (periodic\$4 or dynamic\$4)	USPAT	OR	OFF	2006/10/27 10:50
L10	17	8 with (periodic\$4 or dynamic\$4)	USPAT	OR	OFF	2006/10/27 10:36
L11	0	9 same ((receiver\$1 or local) near6 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 10:39

EAST Search History

L12	1	9 and ((receiver\$1 or local) near6 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 10:39
L13	0	10 and ((receiver\$1 or local) near6 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 10:39
L14	3	9 same latency	USPAT	OR	OFF	2006/10/27 10:52
L15	0	10 with latency	USPAT	OR	OFF	2006/10/27 10:50
L16	18	9 and latency	USPAT	OR	OFF	2006/10/27 10:52
L17	1	10 and latency	USPAT	OR	OFF	2006/10/27 10:52
L18	42	9 same phase\$1	USPAT	OR	OFF	2006/10/27 11:10
L19	4	10 with phase\$1	USPAT	OR	OFF	2006/10/27 11:10
L20	3515	((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 delay\$1) same ((incomming or input or received) near2 data)	USPAT	OR	OFF	2006/10/27 16:20
L21	1402	((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 delay\$1) with ((incomming or input or received) near2 data)	USPAT	OR	OFF	2006/10/27 11:12
L22	292	20 same (phase\$1 near3 (adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8))	USPAT	OR	OFF	2006/10/27 11:13
L23	86	21 with (phase\$1 near3 (adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8))	USPAT	OR	OFF	2006/10/27 11:13
L24	338	20 same (phase\$1 near3 (adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4))	USPAT	OR	OFF	2006/10/27 11:13
L25	95	21 with (phase\$1 near3 (adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4))	USPAT	OR	OFF	2006/10/27 11:13
L26	1	24 same latency	USPAT	OR	OFF	2006/10/27 11:13
L27	26729	(determin\$5 or dec\$5 or calculat\$4 or estimat\$4 or detect\$3 or monitor\$3) near6 ((incomming or input or received) adj data)	USPAT	OR	OFF	2006/10/27 11:25

EAST Search History

L28	66	27 same latency	USPAT	OR	OFF	2006/10/27 11:20
L29	22	27 with latency	USPAT	OR	OFF	2006/10/27 11:22
L30	2	28 same 20	USPAT	OR	OFF	2006/10/27 11:20
L31	4797	(determin\$5 or dec\$5 or calculat\$4 or estimat\$4 or detect\$3 or monitor\$3) near6 latency	USPAT	OR	OFF	2006/10/27 11:25
L32	89	31 same ((incomming or input or received) adj data)	USPAT	OR	OFF	2006/10/27 11:26
L33	22	31 with ((incomming or input or received) adj data)	USPAT	OR	OFF	2006/10/27 11:26
L34	0	32 same ((expected or desired) near2 latency)	USPAT	OR	OFF	2006/10/27 11:28
L35	0	32 and ((expected or desired) near2 latency)	USPAT	OR	OFF	2006/10/27 11:27
L36	1	((expected or desired) near2 latency) near6 (actual near2 latency)	USPAT	OR	OFF	2006/10/27 11:29
L37	3	32 same ((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 delay\$1)	USPAT	OR	OFF	2006/10/27 12:39
L38	0	33 with ((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 delay\$1)	USPAT	OR	OFF	2006/10/27 11:31
L39	131	((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 latency) same ((incomming or input or received) adj data)	USPAT	OR	OFF	2006/10/27 11:32
L40	27	((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 latency) with ((incomming or input or received) adj data)	USPAT	OR	OFF	2006/10/27 11:32
L41	7	39 same ((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 delay\$1)	USPAT	OR	OFF	2006/10/27 11:33
L42	1	40 with ((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 delay\$1)	USPAT	OR	OFF	2006/10/27 11:33
L43	5	("4053932" "5375470" "5515403" "5604775" "5990714").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/27 12:35
L44	2	("6426985").URPN.	USPAT	OR	OFF	2006/10/27 12:38

EAST Search History

L45	3283	delay\$3 near6 ((incomming or input or received) adj data)	USPAT	OR	OFF	2006/10/27 12:39
L46	5	45 same ((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 latency)	USPAT	OR	OFF	2006/10/27 12:40
L47	0	45 with ((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 latency)	USPAT	OR	OFF	2006/10/27 12:40
L48	424	1 same (clock\$1 near3 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 12:42
L49	244	1 with (clock\$1 near3 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 12:42
L50	14	48 same (state adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 12:44
L51	1	49 with (state adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 12:43
L52	165456	(sampl\$3 or oversampl\$3 or (over adj sampl\$3)) near6 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:01
L53	146	52 same ((receiver\$1 or local) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 16:03
L54	82	52 with ((receiver\$1 or local) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:02
L55	1	53 same 20	USPAT	OR	OFF	2006/10/27 13:03

EAST Search History

L56	2	53 same (((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 delay\$1) same data)	USPAT	OR	OFF	2006/10/27 14:11
L57	1485	52 same ((active or inactive or rising or falling) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:34
L58	66	53 same ((active or inactive or rising or falling) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:15
L59	53	54 with ((active or inactive or rising or falling) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:08
L60	36	58 same delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:12
L61	22	59 with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:08
L62	27	58 same (delay\$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:51
L63	19	59 with (delay\$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:15
L64	15	("4280224" "4594727" "4667333" "4918709" "4972444" "5052026" "5089819" "5162746" "5231650" "5319369" "5487095" "5490282" "5513377" "5522088" "5550860").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/27 13:20
L65	22	("5757297").URPN.	USPAT	OR	OFF	2006/10/27 13:25

EAST Search History

L66	8	("4677648" "4841551" "4984249" "5003561" "5022056" "5022057" "5095498" "5313501").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/27 13:29
L67	8	("5487095").URPN.	USPAT	OR	OFF	2006/10/27 13:31
L68	1755	52 same ((active or inactive or rising or falling or leading or trailing) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:48
L69	1139	52 with ((active or inactive or rising or falling or leading or trailing) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:36
L70	33	68 same (delay\$3 near6 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:37
L71	11	69 with (delay\$3 near6 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:37
L72	51	68 and 713/400.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 14:01
L73	37	69 and 713/400.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:49
L74	21	73 and (delay\$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 14:15
L75	27	72 and (delay\$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 13:52
L76	28	68 and 713/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 14:01

EAST Search History

L77	24	69 and 713/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 14:01
L78	23	76 and (delay\$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 14:18
L79	20	77 and (delay\$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 14:01
L80	51	713/400.ccls. and (((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8) near6 delay\$1) same ((incomming or input or received) near2 data))	USPAT	OR	OFF	2006/10/27 14:12
L81	25	713/400.ccls. and (((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8) near6 delay\$1) with ((incomming or input or received) near2 data))	USPAT	OR	OFF	2006/10/27 14:12
L82	6	80 and ((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8) near6 latenc\$3)	USPAT	OR	OFF	2006/10/27 14:13
L83	3	81 and ((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8) near6 latenc\$3)	USPAT	OR	OFF	2006/10/27 15:51
L84	9	73 and latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 14:15
L85	15	72 and latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 14:19
L86	7	76 and latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 14:18

EAST Search History

L87	7	77 and latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 14:18
L88	8	72 and (programmable near2 delay\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 14:20
L89	7	73 and (programmable near2 delay\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 14:20
L90	5	("4389715" "5243703" "5319755" "5355391" "5809263").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/27 14:22
L91	32	("6510503").URPN.	USPAT	OR	OFF	2006/10/27 15:13
L92	252	(synchroniz\$5 near6 data) same 20	USPAT	OR	OFF	2006/10/27 15:19
L93	65	(synchroniz\$5 near6 data) with 21	USPAT	OR	OFF	2006/10/27 15:15
L94	8	92 same ((active or inactive or rising or falling) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:16
L95	2	93 with ((active or inactive or rising or falling) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:15
L96	11	92 same ((active or inactive or rising or falling or leading or trailing) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:30
L97	2	93 with ((active or inactive or rising or falling or leading or trailing) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:16
L98	3	92 same ((receiv\$3 or local) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:18

EAST Search History

L99	3	93 with ((receiv\$3 or local) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:53
L100	300	(synchroniz\$5 near6 data) same ((between near3 (chip\$1 or ((integrated adj circuit\$1) or IC\$1))) or (inter adj (chip\$1 or (integrated adj circuit\$1) or IC\$1)) or (chip near2 chip))	USPAT	OR	OFF	2006/10/27 15:45
L101	92	(synchroniz\$5 near6 data) with ((between near3 (chip\$1 or ((integrated adj circuit\$1) or IC\$1))) or (inter adj (chip\$1 or (integrated adj circuit\$1) or IC\$1)) or (chip near2 chip))	USPAT	OR	OFF	2006/10/27 15:23
L102	0	100 same 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:23
L103	48	100 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:26
L104	8	101 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:23
L105	12	100 same ((active or inactive or rising or falling or leading or trailing) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:30
L106	0	101 with ((active or inactive or rising or falling or leading or trailing) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:30
L107	11	("4873491" "5272730" "5550829" "5568437" "5600682" "5917760" "6031788" "6088774" "6226757" "6236343" "6442644").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/27 15:40
L108	0	("6636978").URPN.	USPAT	OR	OFF	2006/10/27 15:41
L109	7	100 and Xilinx.as.	USPAT	OR	OFF	2006/10/27 15:44

EAST Search History

L110	0	101 and Xilinx.as.	USPAT	OR	OFF	2006/10/27 15:42
L111	3	100 same (emulat\$3 or simulat\$3)	USPAT	OR	OFF	2006/10/27 15:44
L112	1	101 with (emulat\$3 or simulat\$3)	USPAT	OR	OFF	2006/10/27 15:44
L113	386	synchroniz\$5 near6 ((between near3 (chip\$1 or ((integrated adj circuit\$1) or IC\$1))) or (inter adj (chip\$1 or (integrated adj circuit\$1) or IC\$1)) or (chip near2 chip))	USPAT	OR	OFF	2006/10/27 15:46
L114	0	113 same 1	USPAT	OR	OFF	2006/10/27 15:46
L115	45	113 and 1	USPAT	OR	OFF	2006/10/27 15:46
L116	20544	((adjust\$5 or align\$5 or chang\$3 or modif\$8 or correct\$4) near6 data) same clock	USPAT	OR	OFF	2006/10/27 16:02
L117	11183	((adjust\$5 or align\$5 or chang\$3 or modif\$8 or correct\$4) near6 data) with clock	USPAT	OR	OFF	2006/10/27 15:53
L118	187	116 same ((receiv\$3 or local) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:54
L119	92	117 with ((receiv\$3 or local) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 15:54
L120	13	118 same 20	USPAT	OR	OFF	2006/10/27 15:55
L121	3	119 with 21	USPAT	OR	OFF	2006/10/27 15:54
L122	9805	(adjust\$5 or align\$5 or chang\$3 or modif\$8 or correct\$4) same (clock near2 data)	USPAT	OR	OFF	2006/10/27 16:17
L123	1291	align\$5 same (clock near2 data)	USPAT	OR	OFF	2006/10/27 16:03
L124	653	align\$5 with (clock near2 data)	USPAT	OR	OFF	2006/10/27 16:03
L125	27	123 same ((receiver\$1 or local) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 16:18
L126	11	124 with ((receiver\$1 or local) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 16:16
L127	6088	(adjust\$5 or align\$5 or correct\$4) same (clock near2 data)	USPAT	OR	OFF	2006/10/27 16:18

EAST Search History

L128	2874	(adjust\$5 or align\$5 or correct\$4) with (clock near2 data)	USPAT	OR	OFF	2006/10/27 16:18
L129	11	126 same ((receiv\$4 or local) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 16:19
L130	70	127 same ((receiv\$4 or local) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 16:19
L131	23	128 with ((receiv\$4 or local) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 16:19
L132	3	130 same 20	USPAT	OR	OFF	2006/10/27 16:20
L133	3	131 with 21	USPAT	OR	OFF	2006/10/27 16:21